
Canon



- Content of this Instruction Manual
 - PSE stands for Picture Style Editor.
 - In this manual, the windows used in the examples are from Windows 7.
 - ▶ indicates the selection procedure of the menu. (Example: [File] menu ▶ [Exit].)
 - Square brackets are used to indicate items such as menu names, button names and window names that appear on the computer screen.
 - Text inside < > indicates a key on the keyboard.
 - p.** indicates a reference page. Click to move to the relevant page.
 - It is the second sec before use.
 - 🗟 : Marks additional information you may find helpful.

- Switching Between Pages
 - Click on arrows on the bottom right of the screen.
 - : next page

Picture Style File Creating Software

Ver. 1.14

Instruction Manual

- : previous page
- : return to a page you had previously displayed
- Click on the headings on the right side of the screen to switch to the contents page of that heading. Also, click the item you want to read about on the table of contents to move to the relevant page.

Introduction

Picture Style Editor (hereinafter, "PSE") is software that allows you to edit Picture Style to your unique image characteristics and save the edited results as original Picture Style files.

What is a Picture Style file?

A Picture Style file (extension ".PF2" or ".PF3") is an extended function of a Picture Style. It differs from the seven preset Picture Styles (Auto, Standard, Portrait, Landscape, Neutral, Faithful and Monochrome) and provides image characteristics that are effective in a very limited number of scenes.

You can further expand your photographic expression by using a Picture Style file effective for a specific scene.

Main Features of PSE

With PSE, you can use the functions below to edit Picture Style to your unique image characteristics and save the edited results as original Picture Style files (extension ".PF2" or ".PF3").

- Select a Picture Style to be used as a basis for your images
- Set the [Sharpness], [Contrast], [Color saturation] and [Color tone]
- Make adjustments to a specific color
- Adjust the brightness and contrast (gamma characteristic) In addition, you can register your saved original Picture Style files on a camera with the Picture Style function and then apply those styles to shot images. You can also use Digital Photo Professional (hereinafter, "DPP") to apply the styles to RAW images.

Color Management

Use PSE in a computer environment with color management. Also, set the profile of the monitor you are using and the color space of the sample image to be used to perform the adjustments, etc. in the preferences window (p.19).

System Requirements

•	-	mitroduction	
OS	Windows 8.1, Windows 8, Windows 7*1, Windows Vista*2 Windows XP Professional/Home Edition*3		
Computer	PC with one of the above OS preinstalled (Upgraded machines not supported) * .NET Framework 3.0 or later is required.*4		
CPU	1.3GHz Pentium or higher* ⁵		
RAM	Minimum 1GB* ⁶	Preparing a Sample	
Display	Screen resolution: 1024 × 768 pixels or more Color quality: Medium (16 bit) or more		
*1 Compatible with 32-bit/64-bit systems for all versions except Starter Edition		Basic Windows	
 *2 Compatible with 32-bit/64-bit systems for Service Pack 2 except Starter Edition *3 Compatible with Service Pack 3 *4 .NET Framework is Microsoft software. It is installed together with 		Pre-adjustments	
 PSE. *⁵ Core 2 Duo or higher is recommended *⁶ For Windows 8.1, Windows 8 or Windows 7 64-bit systems, minimum 2GB 		Image Characteristics	
Check the Ca supported OS	non website for the latest system requirements, including S versions.	Saving	
~ .			

Sample Images for Adjustment

PSE enables you to use RAW images shot with EOS cameras* (excluding the EOS DCS1 and EOS DCS3) as sample images for adjustment. You can then save the completed adjustments as original Picture Style files.

* Compatible with RAW images shot with EOS D6000 or EOS D2000 that have been converted to RAW images using the CR2 Converter and have the ".CR2" extension.

For information on CR2 Converter, refer to Canon website.

Preferences

Reference

Introduction

Contents

Introduction 2
System Requirements 2
Sample Images for Adjustment 2
Preparing Sample Images 4
Starting up PSE 4
Opening a Sample Image 4
Basic Windows5
Main Window 5
Enlarging a Specific Area6
Adjusting While Comparing with the Original Image 6
Navigator Window7
Setting the Warning Indicators7
Tool Palette8
Pre-adjusting the Images9
Correcting the Brightness9
Correcting the White Balance
Making Basic Adjustments to Image
Characteristics 10
Selecting a Picture Style to Be Used as a Basis 10
Using a Downloaded Picture Style File Effective for the
Scene
Setting Sharpness, Contrast, Color Saturation and Color
Tone
Adjusting the Gamma Characteristic for RGB 11
Adjusting Color 12
Making Minute Adjustments to Color 13
Specifying the Color Directly 16

Specifying the Color on the Color Wheel 16	Introduction
Specifying the Color by Entering the Color Value 16 Displaying the Adjustment Color List and its Functions	Contents
Overlapped Range of Effect of Adjusted Colors	Preparing a Sample
Color Display Mode	Basic Windows
Saving the Adjustments as a Picture Style File 18 Using a Picture Style File 18 Registering a Picture Style File to the Camera	Pre-adjustments
Using a Picture Style File with DPP	Image Characteristics
Reference 20 Troubleshooting 20 Deleting the Software (Uninstalling) 20	Saving

×5

Preferences

Reference

Preparing Sample Images

PSE uses a sample image to perform the various adjustments and save the adjusted results as an original Picture Style file. For this reason, a sample image (p.2) to be used for this purpose needs to be prepared in advance and saved on your computer.

The settings performed in PSE are saved as a Picture Style file (p.18) which is separate from the sample image, and the sample image used to perform the adjustments is not affected at all.

Drag and drop → The sample image is displayed in the main window with the camera settings at the time of shooting. → The [Tool palette] appears. If you open an image as a sample image with PSE, the shot settings on the camera will appear in the image. However, the Auto Lighting Optimizer settings will not appear.

Opening a Sample Image

in EOS Solution Disk Ver.26 or later.

as a basis.

Open a sample image and perform various adjustments with that image

Noise reduction to the sample images may be applied by PSE included

Drag and drop a sample image to the main window.

 If you adjust a RAW image in DPP and then open it as a sample image with PSE, the adjustments made in DPP will not appear in the image.

Starting up PSE

Double-click the [Picture Style Editor] icon on the desktop.

The main window (Description on the right) appears when PSE starts up.

You can also start up PSE from the camera software "EOS Utility". Refer to the "Function for Use with the Accessories" of "Reference" in "EOS Utility Instruction Manual" (PDF electronic manual) for details. Introduction

Contents

Preparing a Sample

Basic Windows

Pre-adjustments

Image Characteristics

Saving


Preferences

Reference

Basic Windows

Main Window

You can select the display magnification and the display method, etc. of the sample image.



Color display mode (p.17)

Introduction

Enlarging a Specific Area

You can enlarge a specific area in the main window to 100%.


In the main window, double-click the area you want to enlarge.



- The area you double-clicked is enlarged to 100% (actual pixel size). If you wait for a while, it changes to a clearer display.
- To change the display position, drag on the image or drag the enlargement display position (p.7) in the [Navigator] window.
- Double-click again to revert to the full view.

Adjusting While Comparing with the Original Image

You can display before and after versions of an adjusted image in the same window and perform adjustments while checking the adjustment results.



Introduction


Contents

Navigator Window

The display position of an image when it is enlarged in the main window and the image histogram can be displayed in the navigator window. You can also set warning indicators to prevent excessive settings being made.

Display the [Navigator] window.

● Select the [View] menu ▶ [Navigator].



Enlargement display position (p.6) Move the display position by dragging Switches the histogram display Histogram Warning indicator setting Warning range


Setting the Warning Indicators

You can set warning indicators for luminance values (Y) and color values (RGB) which are useful for preventing excessive settings being made. Luminance and color value domains which are outside the set range blink as warning indicators on images in the main window.

Preparing Checkmark [Show warning on images] and select [Y] a Sample or [RGB]. Show warning on images Basic Windows 255 Y
 Y
 Y
 Y RGB 255 Pre-adjustments Enter the upper and lower limit values of the warning range. Image Characteristics → The domain where values are outside the upper and lower limit of the range blinks on the image in the main window. To stop the warning indicators, remove the check mark from the Saving [Show warning on images] checkbox. Preferences Reference

Introduction

Contents



You can select the [View] menu ▶ [Tool palette] to switch the [Tool palette] show/hide.

Pre-adjusting the Images

Sample images used in the adjustment process (p.2) which do not have proper exposure or white balance can be adjusted using the [Preliminary adjustment] window to correct their brightness and white balance.

However, please remember that adjustments made with the [Preliminary adjustment] window are merely pre-adjustments for performing adjustments with the [Tool palette] (p.8). For this reason, adjustments made with the [Preliminary adjustment] window are not saved in the Picture Style file which you create.


If the sample image used for adjustments has proper exposure and white balance, it is not necessary to make adjustments with the [Preliminary adjustment] window.

Correcting the Brightness

Select the [Tools] menu ▶ [Preliminary adjustment].

- → The [Preliminary adjustment] window appears.
- When the [Preliminary adjustment] window appears, the display switches to normal display, even if the main window display is showing a comparison of images before and after adjustment (p.6).


Adjust to correct the brightness of the image.



→ The adjustments are applied to the image.

Correcting the White Balance


Adjust to correct the white balance.



Introduction

Making Basic Adjustments to Image Characteristics

Use the [Basic] tab sheet in the [Tool palette] to make basic adjustments to image characteristics.




→ The [Basic] tab sheet appears.

Selecting a Picture Style to Be Used as a Basis

Select the Picture Style used as the basis of the adjustments from the five preset (except Auto or Monochrome) Picture Styles (Standard, Portrait, Landscape, Neutral and Faithful).

You can also register and use a Picture Style file effective for the scene that you have downloaded from Canon website.

Select a Picture Style.




→ The selected Picture Style is applied to the image.

Using a Downloaded Picture Style File Effective for the Scene

- Click the [🐨] button.
- → The [Open Picture Style file] window appears.
- Select a Picture Style file to be registered and click the [Open] button.

→ The selected Picture Style file is applied to the image.



 Original Picture Style files created with PSE (p.18) can also be registered and used by following the procedure above.

 Picture Style files compatible with PSE are files with the ".PF2" or ".PF3" extensions.

Setting Sharpness, Contrast, Color Saturation and Color Tone

Drag each slider.




→ The settings are applied to the image.

Adjusting the Gamma Characteristic for RGB

You can use the tone curve to adjust brightness and contrast under RGB.

Use the tone curve in this tab sheet before adjusting with the [Six Color-Axes] tab sheet or [Specific Colors] tab sheet.

Adjust the brightness and contrast.



Note that if you adjust the tone curve in the [Basic] tab after making adjustments with the [Six Color-Axes] tab sheet or [Specific Colors] tab sheet, the color characteristic will be further adjusted and intended image characteristics may not be achieved. To further adjust brightness and contrast after adjusting with the [Six Color-Axes] tab sheet or [Specific Colors] tab sheet, use the tone curve for adjusting luminosity in the [Specific Colors] tab sheet.

Introduction

Contents

Preparing a Sample

Adjusting Color

You can adjust the color region you selected using hue, saturation, and luminosity.

Select the [Six Color-Axes] tab in the [Tool palette].

Load a Picture Style file (p.10)

Save a Picture Style file (p.18)


Hue region select buttons

Adjustment color wheel

Hue adjustment sliders (p.13)


(this page)

(this page)



- → The [Six Color-Axes] tab sheet appears.
- Note that if you adjust a color with the [Basic] tab sheet after making adjustments with the [Six Color-Axes] tab sheet, the color characteristic will be further adjusted and intended image characteristics may not be achieved. We recommend that you make adjustments in the following order. (1) Adjust using the [Basic] tab sheet, (2) adjust using the [Six
 - Color-Axes] tab sheet, (3) adjust using the [Specific Colors] tab sheet.


Select the color region you want to adjust.



 Select the color region you want to adjust from the adjustmen color wheel.

You can also select the color region by clicking a hue region select button.

Adjust the upper and lower hue limits for the selected region.



 You can adjust the upper and lower hue limits for the selected region by dragging the boundary lines for each hue in the direction of the circumference.

	Introduction
	Contents
	Preparing a Sample
ent	Basic Windows
n	Pre-adjustments
	Image Characteristics
	Saving
	Preferences
ed	Reference

Adjust color.


	Reset
н:	o
s:	+25
L:	-16

- Drag the sliders to adjust color. You can also directly enter values to adjust.
 - H: Adjust hue.
 - S: Adjust saturation.

L: Adjust luminosity.

Making Minute Adjustments to Color-

You can make minute adjustments to a color you have specified, using the hue, saturation and luminosity functions in order to get the color you want. You can also set a range for the effect on surrounding colors which occurs when you adjust the colors you have specified.



recommend that you make adjustments in the following order.

(1) Adjust using the [Basic] tab sheet, (2) adjust using the [Six Color-Axes] tab sheet, (3) adjust using the [Specific Colors] tab sheet.


13

Introduction

Contents

Specify the color you want to adjust.


 Click the [] button and then click the color you want to adjust on the image.



- → The selected color is displayed as an adjustment point [○] on the color wheel.
- Introduction Determine the range of effect for the color you want to adjust. Within the frame is the range of effect Contents Color of the adjustment point selected in step 2 Preparing a Sample Basic Windows Range of 0 upper and lower limit of Pre-adjustments luminosity Drag to move up or Image down Characteristics Luminosity level of the adjustment point selected in step 2 Saving Range of upper and lower limit of saturation Drag to move towards the center or towards the outer perimeter Preferences Range of upper and lower limit of hue Drag to move along the circumference Reference • The range of effect for hue, saturation, and luminosity can be set within the limits below. Setting Range Hue 30 - 180 degrees Saturation 30 - 100

Luminosity

30 - 100



Drag to the left or right to adjust


- The color is adjusted to the range specified in step 3 and the color of the image changes.
- When dragging the slider, the point before adjustment [] and the point after adjustment [] will be displayed on the color wheel.

- Check the range of application.
- If you checkmark [Show affected area on images], the range of application of the adjusted color blinks on the image.



Repeat steps 2 to 5 to adjust multiple colors.

• You can select and adjust colors for up to 100 spots.



- When using EOS Utility's Remote Live View function with PSE to edit Picture Styles, the [Show affected area on images] checkbox is not displayed, and you cannot check the range of application of adjusted colors.
 - You can also specify the color to be adjusted in the method different from the one explained in step 2 (p.16).

Specifying the Color Directly

In addition to specifying the adjustment point by clicking the color on the image (p.14), you can also specify the color directly on the color wheel or by entering the color value.

Specifying the Color on the Color Wheel

Click the [] button (p.14).

Click the color you want to adjust on the color wheel.

➡ The selected color is displayed as an adjustment point [○] on the color wheel.

Specifying the Color by Entering the Color Value

- Select the [Edit] menu ▶ [Specify the numerical values for color adjustment].
- The [Specify the numerical values for color adjustment] window appears.

Enter the color value.

→ The entered color value is displayed as an adjustment point [○] on the color wheel.

Displaying the Adjustment Color List and its Functions

In addition to displaying colors before and after adjustment, the adjustment color list (p.8) shows overlapped range of effect of adjusted colors, and has a checkbox for specifying whether applying adjusted colors or not.

Color before adjustment	Preparing a Sample
	Basic Windows
Color after adjustment	Pre-adjustments

Displays overlapped range of effect of adjusted colors Remove the checkmark to disable the adjustment

Overlapped Range of Effect of Adjusted Colors

When you select an adjusted color from the list and [1] appears, the range of effect of the adjusted color (p.14) is overlapping with the range of effect of other adjusted colors.

Moreover, the overlapped areas will be displayed in gray on the color wheel and an adjustment combining the original adjustments is applied. To avoid an overlapped ranges of effect, select the subject color with [1] and adjust it again so that the range of effect of the hue and saturation no longer overlap.

Deleting an Adjusted Color

Be aware that you cannot recover deleted colors.

From the list, select the adjusted color you want to delete and then press the key on the keyboard.

→ The selected adjusted color is deleted.



Introduction

Contents

Image

Characteristics


Saving

Preferences

Reference

Color Display Mode

You can select the color display mode which will be the basis for color adjustment from three options (HSL, Lab, or RGB) as well as checking values for adjusted colors.



Switches the color display mode

Color value after adjustment Color value before adjustment


• When "HSL" is selected for the color display mode, you can only change the color value for before adjustment by entering a number.

- **-** HSL is a color display mode using the three elements of hue (H), saturation (S), and luminosity (L).
 - Lab is a color mode developed by the CIE (Commission Internationale d'Eclairage) where L is for lightness, a for color elements from green to magenta, and b for color elements from blue to yellow.
 - RGB is a color display mode using red (R), green (G) and blue (B), the three primary colors (additive colors) of the visible light spectrum.

Adjusting the Gamma Characteristic for Luminosity

You can adjust the brightness and contrast for the luminosity of the entire image using the tone curve. To further adjust contrast and brightness after adjusting image characteristics with the [Six Color-Axes] tab sheet or [Specific Colors] tab sheet, use the tone curve in this [Specific Colors] tab sheet.





- The horizontal axis shows the input level and the vertical axis
- shows the output level.
- The maximum number of []] is 10.
- To delete a [], select the [] and then either press the key on the keyboard or double-click on the $[\Box]$.



Reference

Introduction

Contents

Preparing a Sample

Saving the Adjustments as a Picture Style File

Adjustments specified in the [Tool palette] (p.10 to p.17) are saved on your computer as an original Picture Style file (extension ".PF2" or ".PF3"). The adjustments are saved as a Picture Style file which is separate from the sample image, and the sample image used to perform the adjustments is not affected at all.

Click the [___] button.

→ The [Save Picture Style file] window appears.

Specify the file name and save destination and then click the [Save] button.

- Only one-byte characters can be entered in the [File name], [Caption], and [Copyright] boxes.
- If you do not want to show the settings adjusted in PSE. checkmark [Disable subsequent editing] and save, so that the file cannot be opened again in PSE.

Save in:	My Docume	ents 👻	G 🦸 📂 🛄 -	
æ.	Name	*	Date modified	Туре
Recent Places	No items n		r search.	
Desktop				
Libraries				
Computer				
Network	•	m		_
	File name:		-	Save
	Save as type:	PF2 (*.pf2)	-	Cano
	Caption			
	Copyright			

- → The file is saved as a Picture Style file in the specified save destination.
- After adjusting with the tone curve in the [Basic] tab sheet or with the [Six Color-Axes] tab sheet, save results in .PF3 file format. Results are not saved if saved in .PF2 file format.

Even if you checkmark [Disable subsequent editing] and save, you can use the Picture Style file the same way as the Picture Style file without chekmarking and saved (Description on the right). However, you will no longer be able to open the Picture Style file in PSE. For this reason, we recommend that you save separately beforehand the Picture Style file without checkmarking [Disable subsequent editing].

Using a Picture Style File

images.

Saved Picture Style files can be registered in the camera and applied to shot images. They can also be applied to RAW images using DPP.

Registering a Picture Style File to the Camera

Picture Style files saved on your computer can be registered to the "Camera that has a Picture Style function settings" (For information on whether your camera is equipped with the Picture Style function, refer to the camera's Instruction Manual.) using EOS Utility and applied to shot Refer to "Applying Picture Style Files to the Camera" of "Chapter 2 Setting the Camera from Your Computer" in "EOS Utility Instruction Manual" (PDF electronic manual) for details on operation. Using a Picture Style File with DPP

Picture Style files saved on your computer can be applied to RAW images using DPP.

Refer to "Using a Picture Style File" of "Chapter 3 Advanced Image Editing and Printing" in "Digital Photo Professional Instruction Manual" (PDF electronic manual) for details on operation.

Preferences

You can perform color management settings such as specifying the work color space for the sample image displayed in the main window, or setting the profile for the monitor.

Select the [Tools] menu ▶ [Preferences].

→ The [Preferences] window appears.

Specify the required settings and then click the [OK] button.

Preferences	×
Default settings of Work color space	
sRGB	
Adobe RGB	
Color matching settings	
sRGB	
Monitor profile	
	Browse
	OK Cancel

→ The settings are applied.

If you have changed the work color space during the adjustment process, the adjustment point on the color wheel may move in conjunction with the selected work color space.

Exiting PSE

In the main window, select the [File] menu ▶ [Exit]. → PSE exits.



Reference

Troubleshooting

If PSE is not operating correctly, refer to the items below.

Installation could not be completed correctly

 Select an administrator-level privilege ([Computer administrator], [Administrator], etc.) as a user setting. You cannot install the software if a user setting other than an administrator-level privilege is selected. For detailed information on selecting an administrator-level privilege, refer to your computer user's manual.

PSE does not work

- PSE does not operate correctly on a computer if its system requirements are not met. Use PSE on a computer with compatible system requirements (p.2).
- Even if your computer has the RAM capacity (memory) described in the system requirements (p.2), if other applications are running at the same time as PSE, you may not have sufficient RAM (memory). Exit any applications other than PSE.

Images do not display properly

• Sample images that are not supported by PSE (p.2) do not display.

Deleting the Software (Uninstalling)

- Exit any applications before uninstalling the software.
- Log in under an administrator-level privilege when uninstalling the software.
- To prevent computer malfunctions, always restart your computer after you have uninstalled the software. Re-installing the software without first restarting your computer is particularly likely to result in computer malfunctions.

Windows 7, Windows Vista, Windows XP

- Select the [
 [Start] button in Windows XP
 [All Programs] > [Canon Utilities] > [Picture Style Editor] > [Picture Style Editor Uninstall].
- Proceed with the uninstallation as directed by the on-screen messages.
 - The software is uninstalled.

Windows 8.1, Windows 8

 Uninstall the software according to the OS software uninstalling method.

	Contents
er it er	Preparing a Sample
2)	Basic Windows
-)	Pre-adjustments
	Image Characteristics
	Saving
	Preferences
	Reference

Introduction

About This Instruction Manual

- It is prohibited to reproduce, in whole or part, the contents of this Instruction Manual without permission.
- Canon may change without notice the software specifications and contents of this Instruction Manual.
- The software screens and displays printed in this Instruction Manual may differ slightly from the actual software.
- The content of this Instruction Manual has been reviewed thoroughly. However, if you should notice any errors or omissions, please contact a Canon Service Center.
- Please note that irrespective of the above-mentioned, Canon does not take responsibility for the outcome of the operation of the software.

Trademark Acknowledgments

- Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.
- Other names and products not mentioned above may be registered trademarks or trademarks of their respective companies.